




**CLASS A PIPE BEDDING**



**END SECTIONS FOR CONCRETE PIPE**



**CLASS C PIPE BEDDING**

**PIPE BEDDING**

**NOTES:**

- 1). USE CLASS C BEDDING UNLESS OTHERWISE INDICATED.
- 2). FOR CLASS A BEDDING, IMBED PIPE IN CONCRETE 6" FOR PIPES SMALLER THAN 24" I.D., 10" FOR PIPES 24" TO 60", AND FOR PIPES LARGER THAN 60" SEE PROJECT DETAILS.
- 3). USE IN SITU MATERIAL AS APPROVED BY THE ENGINEER OR AS PER MANUFACTURER REQUIREMENTS.
- 4). USE CLASS B CONCRETE FOR CONCRETE CUTOFF WALLS, PRECAST AS DIRECTED BY THE ENGINEER.



*John C.*  
 ENGINEERING SUPPORT  
 RECOMMENDED  
 12/08/2021  
 DATE

PIPE BEDDING AND PIPE FLARED END SUPPORT  
 STANDARD NO. D-8 (2021)  
 SHT. 1 OF 1

REVIEWED  
 DEPUTY DIRECTOR - DESIGN  
 12/08/2021  
 DATE  
 APPROVED  
 CHIEF ENGINEER  
 12/20/2021  
 DATE